

Package: sure (via r-universe)

September 12, 2024

Type Package

Title Surrogate Residuals for Ordinal and General Regression Models

Description An implementation of the surrogate approach to residuals and diagnostics for ordinal and general regression models; for details, see Liu and Zhang (2017, <[doi:https://doi.org/10.1080/01621459.2017.1292915](https://doi.org/10.1080/01621459.2017.1292915)>) and Greenwell et al. (2017, <<https://journal.r-project.org/archive/2018/RJ-2018-004/index.html>>). These residuals can be used to construct standard residual plots for model diagnostics (e.g., residual-vs-fitted value plots, residual-vs-covariate plots, Q-Q plots, etc.). The package also provides an 'autoplot' function for producing standard diagnostic plots using 'ggplot2' graphics. The package currently supports cumulative link models from packages 'MASS', 'ordinal', 'rms', and 'VGAM'. Support for binary regression models using the standard 'glm' function is also available.

Version 0.2.2.9000

Depends R (>= 3.1)

Imports ggplot2 (>= 2.2.1), goftest, gridExtra, stats

Suggests MASS, ordinal, rms, testthat, VGAM, mgcv, PResiduals, knitr, rmarkdown

License GPL (>= 2)

URL <https://github.com/koalaverse/sure>

BugReports <https://github.com/koalaverse/sure/issues>

Encoding UTF-8

LazyData true

RoxygenNote 7.0.2

VignetteBuilder knitr

Repository <https://koalaverse.r-universe.dev>

RemoteUrl <https://github.com/koalaverse/sure>

RemoteRef HEAD

RemoteSha e8e0bba5ecef1267a22c23adf2ec4fae316bf39e

Contents

autoplot.resid	2
df1	7
df2	8
df3	9
df4	9
df5	10
gof	11
resids	12
sure	13
surrogate	14
Index	17

autoplot.resid	<i>Residual plots</i>
----------------	-----------------------

Description

Residual-based diagnostic plots for cumulative link and general regression models using [ggplot2](#) graphics.

Usage

```
autoplot.resid(
  object,
  what = c("qq", "fitted", "covariate"),
  x = NULL,
  fit = NULL,
  distribution = qnorm,
  ncol = NULL,
  alpha = 1,
  xlab = NULL,
  color = "#444444",
  shape = 19,
  size = 2,
  qqpoint.color = "#444444",
  qqpoint.shape = 19,
  qqpoint.size = 2,
  qqline.color = "#888888",
  qqline.linetype = "dashed",
  qqline.size = 1,
  smooth = TRUE,
  smooth.color = "red",
  smooth.linetype = 1,
  smooth.size = 1,
  fill = NULL,
```

```
    ...
  )

autoplot.clm(
  object,
  what = c("qq", "fitted", "covariate"),
  x = NULL,
  fit = NULL,
  distribution = qnorm,
  ncol = NULL,
  alpha = 1,
  xlab = NULL,
  color = "#444444",
  shape = 19,
  size = 2,
  qqpoint.color = "#444444",
  qqpoint.shape = 19,
  qqpoint.size = 2,
  qqline.color = "#888888",
  qqline.linetype = "dashed",
  qqline.size = 1,
  smooth = TRUE,
  smooth.color = "red",
  smooth.linetype = 1,
  smooth.size = 1,
  fill = NULL,
  ...
)

autoplot.glm(
  object,
  what = c("qq", "fitted", "covariate"),
  x = NULL,
  fit = NULL,
  distribution = qnorm,
  ncol = NULL,
  alpha = 1,
  xlab = NULL,
  color = "#444444",
  shape = 19,
  size = 2,
  qqpoint.color = "#444444",
  qqpoint.shape = 19,
  qqpoint.size = 2,
  qqline.color = "#888888",
  qqline.linetype = "dashed",
  qqline.size = 1,
  smooth = TRUE,
```

```
smooth.color = "red",
smooth.linetype = 1,
smooth.size = 1,
fill = NULL,
...
)

autoplot.lrm(
  object,
  what = c("qq", "fitted", "covariate"),
  x = NULL,
  fit = NULL,
  distribution = qnorm,
  ncol = NULL,
  alpha = 1,
  xlab = NULL,
  color = "#444444",
  shape = 19,
  size = 2,
  qqpoint.color = "#444444",
  qqpoint.shape = 19,
  qqpoint.size = 2,
  qqline.color = "#888888",
  qqline.linetype = "dashed",
  qqline.size = 1,
  smooth = TRUE,
  smooth.color = "red",
  smooth.linetype = 1,
  smooth.size = 1,
  fill = NULL,
  ...
)

autoplot.orm(
  object,
  what = c("qq", "fitted", "covariate"),
  x = NULL,
  fit = NULL,
  distribution = qnorm,
  ncol = NULL,
  alpha = 1,
  xlab = NULL,
  color = "#444444",
  shape = 19,
  size = 2,
  qqpoint.color = "#444444",
  qqpoint.shape = 19,
  qqpoint.size = 2,
```

```
    qqline.color = "#888888",
    qqline.linetype = "dashed",
    qqline.size = 1,
    smooth = TRUE,
    smooth.color = "red",
    smooth.linetype = 1,
    smooth.size = 1,
    fill = NULL,
    ...
)

autoplot.polr(
  object,
  what = c("qq", "fitted", "covariate"),
  x = NULL,
  fit = NULL,
  distribution = qnorm,
  ncol = NULL,
  alpha = 1,
  xlab = NULL,
  color = "#444444",
  shape = 19,
  size = 2,
  qqpoint.color = "#444444",
  qqpoint.shape = 19,
  qqpoint.size = 2,
  qqline.color = "#888888",
  qqline.linetype = "dashed",
  qqline.size = 1,
  smooth = TRUE,
  smooth.color = "red",
  smooth.linetype = 1,
  smooth.size = 1,
  fill = NULL,
  ...
)

autoplot.vglm(
  object,
  what = c("qq", "fitted", "covariate"),
  x = NULL,
  fit = NULL,
  distribution = qnorm,
  ncol = NULL,
  alpha = 1,
  xlab = NULL,
  color = "#444444",
  shape = 19,
```

```

size = 2,
qqpoint.color = "#444444",
qqpoint.shape = 19,
qqpoint.size = 2,
qqline.color = "#888888",
qqline.linetype = "dashed",
qqline.size = 1,
smooth = TRUE,
smooth.color = "red",
smooth.linetype = 1,
smooth.size = 1,
fill = NULL,
...
)

```

Arguments

object	An object of class <code>clm</code> , <code>glm</code> , <code>lrm</code> , <code>orm</code> , <code>polr</code> , or <code>vglm</code> .
what	Character string specifying what to plot. Default is "qq" which produces a quantile-quantile plots of the residuals.
x	A vector giving the covariate values to use for residual-by- covariate plots (i.e., when what = "covariate").
fit	The fitted model from which the residuals were extracted. (Only required if what = "fitted" and object inherits from class "resid".)
distribution	Function that computes the quantiles for the reference distribution to use in the quantile-quantile plot. Default is <code>qnorm</code> which is only appropriate for models using a probit link function. When <code>jitter.scale = "probability"</code> , the reference distribution is always $U(-0.5, 0.5)$. (Only required if object inherits from class "resid".)
ncol	Integer specifying the number of columns to use for the plot layout (if requesting multiple plots). Default is <code>NULL</code> .
alpha	A single values in the interval $[0, 1]$ controlling the opacity alpha of the plotted points. Only used when <code>nsim > 1</code> .
xlab	Character string giving the text to use for the x-axis label in residual-by-covariate plots. Default is <code>NULL</code> .
color	Character string or integer specifying what color to use for the points in the residual vs fitted value/covariate plot. Default is "black".
shape	Integer or single character specifying a symbol to be used for plotting the points in the residual vs fitted value/covariate plot.
size	Numeric value specifying the size to use for the points in the residual vs fitted value/covariate plot.
qqpoint.color	Character string or integer specifying what color to use for the points in the quantile-quantile plot.
qqpoint.shape	Integer or single character specifying a symbol to be used for plotting the points in the quantile-quantile plot.

<code>qqpoint.size</code>	Numeric value specifying the size to use for the points in the quantile-quantile plot.
<code>qqline.color</code>	Character string or integer specifying what color to use for the points in the quantile-quantile plot.
<code>qqline.linetype</code>	Integer or character string (e.g., "dashed") specifying the type of line to use in the quantile-quantile plot.
<code>qqline.size</code>	Numeric value specifying the thickness of the line in the quantile-quantile plot.
<code>smooth</code>	Logical indicating whether or not to add a nonparametric smooth to certain plots. Default is TRUE.
<code>smooth.color</code>	Character string or integer specifying what color to use for the nonparametric smooth.
<code>smooth.linetype</code>	Integer or character string (e.g., "dashed") specifying the type of line to use for the nonparametric smooth.
<code>smooth.size</code>	Numeric value specifying the thickness of the line for the nonparametric smooth.
<code>fill</code>	Character string or integer specifying the color to use to fill the boxplots for residual-by-covariate plots when <code>x</code> is of class "factor". Default is NULL which colors the boxplots according to the factor levels.
<code>...</code>	Additional optional arguments to be passed onto resids .

Value

A "ggplot" object.

Examples

```
# See ?resids for an example
?resids
```

df1

Simulated quadratic data

Description

Data simulated from a probit model with a quadratic trend. The data are described in Example 2 of Liu and Zhang (2017).

Usage

```
data(df1)
```

Format

A data frame with 2000 rows and 2 variables.

- x The predictor variable.
- y The response variable; an ordered factor.

References

Liu, Dungan and Zhang, Heping. Residuals and Diagnostics for Ordinal Regression Models: A Surrogate Approach. *Journal of the American Statistical Association* (accepted).

Examples

```
head(df1)
```

df2	<i>Simulated heteroscedastic data</i>
-----	---------------------------------------

Description

Data simulated from a probit model with heteroscedasticity. The data are described in Example 4 of Liu and Zhang (2017).

Usage

```
data(df2)
```

Format

A data frame with 2000 rows and 2 variables.

- x The predictor variable.
- y The response variable; an ordered factor.

References

Liu, Dungan and Zhang, Heping. Residuals and Diagnostics for Ordinal Regression Models: A Surrogate Approach. *Journal of the American Statistical Association* (accepted).

Examples

```
head(df2)
```

df3	<i>Simulated Gumbel data</i>
-----	------------------------------

Description

Data simulated from a log-log model with a quadratic trend. The data are described in Example 3 of Liu and Zhang (2017).

Usage

```
data(df3)
```

Format

A data frame with 2000 rows and 2 variables.

- x The predictor variable.
- y The response variable; an ordered factor.

References

Liu, Dungang and Zhang, Heping. Residuals and Diagnostics for Ordinal Regression Models: A Surrogate Approach. *Journal of the American Statistical Association* (accepted).

Examples

```
head(df3)
```

df4	<i>Simulated proportionality data</i>
-----	---------------------------------------

Description

Data simulated from from two separate probit models. The data are described in Example 5 of Liu and Zhang (2017).

Usage

```
data(df4)
```

Format

A data frame with 4000 rows and 2 variables.

- x The predictor variable.
- y The response variable; an ordered factor.

References

Liu, Dungang and Zhang, Heping. Residuals and Diagnostics for Ordinal Regression Models: A Surrogate Approach. *Journal of the American Statistical Association* (accepted).

Examples

```
head(df4)
```

df5

Simulated interaction data

Description

Data simulated from from an ordered probit model with an interaction effect.

Usage

```
data(df5)
```

Format

A data frame with 2000 rows and 3 variables.

- x1 A continuous predictor variable.
- x2 A factor with two levels: "Control" and "Treatment".
- y The response variable; an ordered factor.

References

Liu, Dungang and Zhang, Heping. Residuals and Diagnostics for Ordinal Regression Models: A Surrogate Approach. *Journal of the American Statistical Association* (accepted).

Examples

```
head(df5)
```

Description

Simulate p-values from a goodness-of-fit test.

Usage

```
gof(object, nsim = 10, test = c("ks", "ad", "cvm"), ...)
```

```
## Default S3 method:
```

```
gof(object, nsim = 10, test = c("ks", "ad", "cvm"), ...)
```

```
## S3 method for class 'gof'
```

```
plot(x, ...)
```

Arguments

object	An object of class <code>clm</code> , <code>glm</code> , <code>lrm</code> , <code>orm</code> , <code>polr</code> , or <code>vglm</code> .
nsim	Integer specifying the number of bootstrap replicates to use.
test	Character string specifying which goodness-of-fit test to use. Current options include: "ks" for the Kolmogorov-Smirnov test, "ad" for the Anderson-Darling test, and "cvm" for the Cramer-Von Mises test. Default is "ks".
...	Additional optional arguments. (Currently ignored.)
x	An object of class "gof".

Details

Under the null hypothesis, the distribution of the p-values should appear uniformly distributed on the interval [0, 1]. This can be visually investigated using the `plot` method. A 45 degree line is indicative of a "good" fit.

Value

A numeric vector of class "gof", "numeric" containing the simulated p-values.

Examples

```
# See ?resids for an example
?resids
```

resids *Surrogate residuals*

Description

Simulate surrogate response values for cumulative link regression models using the latent method described in Liu and Zhang (2017).

Usage

```
resids(
  object,
  nsim = 1L,
  method = c("latent", "jitter"),
  jitter.scale = c("response", "probability"),
  ...
)
```

Arguments

object	An object of class <code>clm</code> , <code>glm</code> , <code>lrm</code> , <code>orm</code> , <code>polr</code> , or <code>vglm</code> .
nsim	Integer specifying the number of bootstrap replicates to use. Default is 1L meaning no bootstrap samples.
method	Character string specifying which method to use to generate the surrogate response values. Current options are "latent" and "jitter". Default is "latent".
jitter.scale	Character string specifying the scale on which to perform the jittering whenever method = "jitter". Current options are "response" and "probability". Default is "response".
...	Additional optional arguments. (Currently ignored.)

Value

A numeric vector of class `c("numeric", "surrogate")` containing the simulated surrogate response values. Additionally, if `nsim > 1`, then the result will contain the attributes:

`boot_reps` A matrix with `nsim` columns, one for each bootstrap replicate of the surrogate values. Note, these are random and do not correspond to the original ordering of the data;

`boot_id` A matrix with `nsim` columns. Each column contains the observation number each surrogate value corresponds to in `boot_reps`. (This is used for plotting purposes.)

Note

Surrogate response values require sampling from a continuous distribution; consequently, the result will be different with every call to `surrogate`. The internal functions used for sampling from truncated distributions are based on modified versions of `rtrunc` and `qtrunc`.

For "glm" objects, only the `binomial()` family is supported.

References

- Liu, Dungang and Zhang, Heping. Residuals and Diagnostics for Ordinal Regression Models: A Surrogate Approach. *Journal of the American Statistical Association* (accepted). URL <http://www.tandfonline.com/doi/abs/10.1198/016214507016161616>
- Nadarajah, Saralees and Kotz, Samuel. R Programs for Truncated Distributions. *Journal of Statistical Software, Code Snippet*, 16(2), 1-8, 2006. URL <https://www.jstatsoft.org/v016/c02>.

Examples

```
# Generate data from a quadratic probit model
set.seed(101)
n <- 2000
x <- runif(n, min = -3, max = 6)
z <- 10 + 3 * x - 1 * x^2 + rnorm(n)
y <- ifelse(z <= 0, yes = 0, no = 1)

# Scatterplot matrix
pairs(~ x + y + z)

# Setup for side-by-side plots
par(mfrow = c(1, 2))

# Misspecified mean structure
fm1 <- glm(y ~ x, family = binomial(link = "probit"))
scatter.smooth(x, y = resid(fm1),
               main = "Misspecified model",
               ylab = "Surrogate residual",
               lpars = list(lwd = 3, col = "red2"))
abline(h = 0, lty = 2, col = "blue2")

# Correctly specified mean structure
fm2 <- glm(y ~ x + I(x ^ 2), family = binomial(link = "probit"))
scatter.smooth(x, y = resid(fm2),
               main = "Correctly specified model",
               ylab = "Surrogate residual",
               lpars = list(lwd = 3, col = "red2"))
abline(h = 0, lty = 2, col = "blue2")
```

sure

sure: An R package for constructing surrogate-based residuals and diagnostics for ordinal and general regression models.

Description

The sure package provides surrogate-based residuals for fitted ordinal and general (e.g., binary) regression models of class `clm`, `glm`, `lrm`, `orm`, `polr`, or `vglm`.

Details

The development version can be found on GitHub: <https://github.com/AFIT-R/sure>. As of right now, sure exports the following functions:

- `resids` - construct (surrogate-based) residuals;
- `autoplot` - plot diagnostics using `ggplot2`-based graphics;
- `gof` - simulate p-values from a goodness-of-fit test.

References

Liu, Dungan and Zhang, Heping. Residuals and Diagnostics for Ordinal Regression Models: A Surrogate Approach. *Journal of the American Statistical Association* (accepted).

surrogate	<i>Surrogate response</i>
-----------	---------------------------

Description

Simulate surrogate response values for cumulative link regression models using the latent method described in Liu and Zhang (2017).

Usage

```
surrogate(
  object,
  nsim = 1L,
  method = c("latent", "jitter"),
  jitter.scale = c("response", "probability"),
  ...
)
```

Arguments

<code>object</code>	An object of class <code>clm</code> , <code>glm lrm</code> , <code>orm</code> , <code>polr</code> , or <code>vglm</code> .
<code>nsim</code>	Integer specifying the number of bootstrap replicates to use. Default is 1L meaning no bootstrap samples.
<code>method</code>	Character string specifying which method to use to generate the surrogate response values. Current options are "latent" and "jitter". Default is "latent".
<code>jitter.scale</code>	Character string specifying the scale on which to perform the jittering whenever <code>method = "jitter"</code> . Current options are "response" and "probability". Default is "response".
<code>...</code>	Additional optional arguments. (Currently ignored.)

Value

A numeric vector of class `c("numeric", "surrogate")` containing the simulated surrogate response values. Additionally, if `nsim > 1`, then the result will contain the attributes:

`boot_reps` A matrix with `nsim` columns, one for each bootstrap replicate of the surrogate values.

Note, these are random and do not correspond to the original ordering of the data;

`boot_id` A matrix with `nsim` columns. Each column contains the observation number each surrogate value corresponds to in `boot_reps`. (This is used for plotting purposes.)

Note

Surrogate response values require sampling from a continuous distribution; consequently, the result will be different with every call to `surrogate`. The internal functions used for sampling from truncated distributions are based on modified versions of `rtrunc` and `qtrunc`.

For "glm" objects, only the `binomial()` family is supported.

References

Liu, Dungang and Zhang, Heping. Residuals and Diagnostics for Ordinal Regression Models: A Surrogate Approach. *Journal of the American Statistical Association* (accepted). URL <http://www.tandfonline.com/doi/abs/10.1198/01621450803471111>

Nadarajah, Saralees and Kotz, Samuel. R Programs for Truncated Distributions. *Journal of Statistical Software, Code Snippet*, 16(2), 1-8, 2006. URL <https://www.jstatsoft.org/v016/c02>.

Examples

```
# Generate data from a quadratic probit model
set.seed(101)
n <- 2000
x <- runif(n, min = -3, max = 6)
z <- 10 + 3*x - 1*x^2 + rnorm(n)
y <- ifelse(z <= 0, yes = 0, no = 1)

# Scatterplot matrix
pairs(~ x + y + z)

# Setup for side-by-side plots
par(mfrow = c(1, 2))

# Misspecified mean structure
fm1 <- glm(y ~ x, family = binomial(link = "probit"))
s1 <- surrogate(fm1)
scatter.smooth(x, s1 - fm1$linear.predictors,
               main = "Misspecified model",
               ylab = "Surrogate residual",
               lpars = list(lwd = 3, col = "red2"))
abline(h = 0, lty = 2, col = "blue2")

# Correctly specified mean structure
fm2 <- glm(y ~ x + I(x ^ 2), family = binomial(link = "probit"))
s2 <- surrogate(fm2)
```

```
scatter.smooth(x, s2 - fm2$linear.predictors,  
              main = "Correctly specified model",  
              ylab = "Surrogate residual",  
              lpars = list(lwd = 3, col = "red2"))  
abline(h = 0, lty = 2, col = "blue2")
```


Index

* datasets

df1, [7](#)
df2, [8](#)
df3, [9](#)
df4, [9](#)
df5, [10](#)

autoplot.clm (autoplot.resid), [2](#)
autoplot.glm (autoplot.resid), [2](#)
autoplot.lrm (autoplot.resid), [2](#)
autoplot.orm (autoplot.resid), [2](#)
autoplot.polr (autoplot.resid), [2](#)
autoplot.resid, [2](#)
autoplot.vglm (autoplot.resid), [2](#)

clm, [6](#), [11–14](#)

df1, [7](#)
df2, [8](#)
df3, [9](#)
df4, [9](#)
df5, [10](#)

ggplot2, [2](#), [14](#)
glm, [6](#), [11–14](#)
gof, [11](#)

lrm, [6](#), [11–14](#)

orm, [6](#), [11–14](#)

plot.gof (gof), [11](#)
polr, [6](#), [11–14](#)

qtrunc, [12](#), [15](#)

resids, [7](#), [12](#)
rtrunc, [12](#), [15](#)

sure, [13](#)
surrogate, [14](#)

vglm, [6](#), [11–14](#)